

tected by echocardiography after 20 weeks' gestation and is normally 2 mm or less in depth. More fluid should raise questions of hydrops foetalis, Rh disease, hypoalbuminemia, and immunopathy or maternally transmitted mycoplasmal or other infections, and neoplasia.²⁶⁴

Acknowledgements

Members of the Task Force have the pleasure to acknowledge participation of Prof. Dr. Annalisa Angelini (Padua, Italy), Chairperson of the ESC WG Developmental Anatomy and Pathology, and Dr. Steffen Lamparter (Marburg, Germany) in preparation of the sections of the Guidelines on pericardial pathology and analyses of pericardial effusion. We also highly appreciate kind technical assistance of Ms. Veronica Dean (European Heart House).

Special thanks to Prof. Dr. Eloisa Arbustini for her significant contribution to the review process of these guidelines.

References

- Maisch B, Ristić AD. The classification of pericardial disease in the age of modern medicine. *Curr Cardiol Rep* 2002;4(1):13–21.
- Maisch B, Ristić AD, Pankuweit S. Intrapericardial treatment of autoreactive pericardial effusion with triamcinolone: the way to avoid side effects of systemic corticosteroid therapy. *Eur Heart J* 2002;23:1503–8.
- Spodick DH. Infectious pericarditis. In: Spodick DH, editor. *The Pericardium: A Comprehensive Textbook*. New York: Marcel Dekker; 1997. p. 260–90.
- Cottrill CM, Tamaren J, Hall B. Sternal defects associated with congenital pericardial and cardiac defects. *Cardiol Young* 1998;8(1):100–4.
- Meunier JP, Lopez S, Teboul J et al. Total pericardial defect: risk factor for traumatic aortic type A dissection. *Ann Thorac Surg* 2002;74(1):266.
- Connolly HM, Click RL, Schattenberg TT et al. Congenital absence of the pericardium: echocardiography as a diagnostic tool. *J Am Soc Echocardiogr* 1995;8:87–92.
- Gassner I, Judmaier W, Fink C et al. Diagnosis of congenital pericardial defects, including a pathognomic sign for dangerous apical ventricular herniation, on magnetic resonance imaging. *Br Heart J* 1995;74:60–6.
- Loebe M, Meskhishvili V, Weng Y et al. Use of polytetrafluoroethylene surgical membrane as a pericardial substitute in the correction of congenital heart defects. *Texas Heart Inst J* 1993;20(3):213–7.
- Spodick DH. Pericardial diseases. In: Braunwald E, Zipes DP, Libby P, editors. *Heart Disease*. 6th ed. Philadelphia, London, Toronto, Montreal Sydney, Tokyo, W.B. Saunders; 2001. p. 1823–76.
- Maisch B, Bethge C, Drude L, Hufnagel G, Herzum M, Schönan U. Pericardioscopy and epicardial biopsy: new diagnostic tools in pericardial and perimyocardial diseases. *Eur Heart J* 1994;15(Suppl C):68–73.
- Spodick DH. Auscultatory phenomena in pericardial disease. In: Spodick DH, editor. *The Pericardium: A Comprehensive Textbook*. New York: Marcel Dekker; 1997. p. 27–39.
- Levine MJ, Lorell BH, Diver DJ et al. Implications of echocardiographically assisted diagnosis of pericardial tamponade in contemporary medical patients: detection before hemodynamic embarrassment. *J Am Coll Cardiol* 1991;17:59–65.
- Chuttani K, Pandian NG, Mohanty PK et al. Left ventricular diastolic collapse: an echocardiographic sign of regional cardiac tamponade. *Circulation* 1991;83:1999–2006.
- Meyers DG, Meyers RE, Prendergast TW. The usefulness of diagnostic tests on pericardial fluid. *Chest* 1997;111(5):1213–21.
- Eisenberg MJ, Dunn MM, Kanth N et al. Diagnostic value of chest radiography for pericardial effusion. *J Am Coll Cardiol* 1993;22:588–93.
- Tsang TS, Enriquez-Sarano M, Freeman WK et al. Consecutive 1127 therapeutic echocardiographically guided pericardiocenteses: clinical profile, practice patterns, and outcomes spanning 21 years. *Mayo Clin Proc* 2002;77(5):429–36.
- Chiles C, Woodard PK, Gutierrez FR et al. Metastatic involvement of the heart and pericardium: CT and MR imaging. *Radiographics* 2001;21(2):439–49.
- Nugue O, Millaire A, Porte H et al. Pericardioscopy in the etiologic diagnosis of pericardial effusion in 141 consecutive patients. *Circulation* 1996;94(7):1635–41.
- Seferović PM, Ristić AD, Maksimović R et al. Diagnostic value of pericardial biopsy: improvement with extensive sampling enabled by pericardiocentesis. *Circulation* 2003;107:978–83.
- Bonnefoy E, Godon P, Kirkorian G, Fatemi M, Chevalier P, Touboul P. Serum cardiac troponin I and ST-segment elevation in patients with acute pericarditis. *Eur Heart J* 2000;21(10):832–6.
- Brandt RR, Filzmaier K, Hanrath P. Circulating cardiac troponin I in acute pericarditis. *Am J Cardiol* 2001;87(11):1326–8.
- Bruch C, Schmermund A, Dages N et al. Changes in QRS voltage in cardiac tamponade and pericardial effusion: reversibility after pericardiocentesis and after anti-inflammatory drug treatment. *J Am Coll Cardiol* 2001;38(1):219–26.
- Rienmuller R, Gurgan M, Erdmann E et al. CT and MR evaluation of pericardial constriction: a new diagnostic and therapeutic concept. *J Thorac Imaging* 1993;8(2):108–21.
- Rienmuller R, Tiling R. MR and CT for detection of cardiac tumors. *Thorac Cardiovasc Surg* 1990;38(Suppl 2):168–72.
- Adler Y, Finkelstein Y, Guindo J et al. Colchicine treatment for recurrent pericarditis: a decade of experience. *Circulation* 1998;97:2183–5.
- Zayas R, Anguita M, Torres F et al. Incidence of specific etiology and role of methods for specific etiologic diagnosis of primary acute pericarditis. *Am J Cardiol* 1995;75:378–82.
- Chong HH, Plotnick GD. Pericardial effusion and tamponade: evaluation, imaging modalities, and management. *Compr Ther* 1995;21:378–85.
- Isselbacher EM, Cigarroa JE, Eagle KA. Cardiac tamponade complicating proximal aortic dissection: is pericardiocentesis harmful? *Circulation* 1994;90:2375–9.
- Sagrasta-Sauleda J, Angel J, Permanyer-Miralda G et al. Long-term follow-up of idiopathic chronic pericardial effusion. *N Engl J Med* 1999;341(27):2054–9.
- Tweddell JS, Zimmerman AN, Stone CM et al. Pericardiocentesis guided by a pulse generator. *J Am Coll Cardiol* 1989;14(4):1074–83.
- Armstrong WF, Feigenbaum H, Dillon JC. Acute right ventricular dilation and echocardiographic volume overload following pericardiocentesis for relief of cardiac tamponade. *Am Heart J* 1984;107:1266–70.
- Tsang TS, Barnes ME, Gersh BJ et al. Outcomes of clinically significant idiopathic pericardial effusion requiring intervention. *Am J Cardiol* 2002;91(6):704–7.
- Seferović PM, Ristić AD, Maksimović R, et al. Therapeutic pericardiocentesis: up-to-date review of indications, efficacy, and risks. In: Seferović PM, Spodick DH, Maisch B, editors, Maksimović R, Ristić AD, assoc. editors. *Pericardiology: contemporary answers to continuing challenges*. Belgrade: Science; 2000, p. 417–426.
- Maisch B, Ristić AD. Tangential approach to small pericardial effusions under fluoroscopic guidance in the lateral view: the halo phenomenon. *Circulation* 2001;103(Suppl A):II-730 [abstract].
- Tsang TS, Barnes ME, Hayes SN et al. Clinical and echocardiographic characteristics of significant pericardial effusions following cardiothoracic surgery and outcomes of echo-guided pericardiocentesis for management: Mayo Clinic experience, 1979–1998. *Chest* 1999;116(2):322–31.
- Tsang TS, Freeman WK, Barnes ME et al. Rescue echocardiographically guided pericardiocentesis for cardiac perforation complicating catheter-based procedures. The Mayo Clinic experience. *J Am Coll Cardiol* 1998;32(5):1345–50.

37. Duvernoy O, Borowiec J, Helmius G et al. Complications of percutaneous pericardiocentesis under fluoroscopic guidance. *Acta Radiol* 1992;33(4):309–13.
38. Ziskind AA, Pearce AC, Lemmon CC et al. Percutaneous balloon pericardiectomy for the treatment of cardiac tamponade and large pericardial effusions: description of technique and report of the first 50 cases. *J Am Coll Cardiol* 1993;21(1):1–5.
39. DeLine JM, Cable DG. Clustering of recurrent pericarditis with effusion and constriction in a family. *Mayo Clin Proc* 2002;77(1):39–43.
40. Erdol C, Erdol H, Celik S et al. Idiopathic chronic pericarditis associated with ocular hypertension: probably an unknown combination. *Int J Cardiol* 2003;87(2–3):293–5.
41. Guindo J, Rodriguez de la Serna A, Ramie J et al. Recurrent pericarditis – relief with colchicine. *Circulation* 1990;82:1117–20.
42. Millaire A, de Groot P, De Coulx E, Goullard L, Ducloux G. Treatment of recurrent pericarditis with colchicine. *Eur Heart J* 1994;15:120–4.
43. Brucato A, Cimaz R, Balla E. Prevention of recurrences of corticosteroid-dependent idiopathic pericarditis by colchicine in an adolescent patient. *Pediatr Cardiol* 2000;21:395–7.
44. Asplen CH, Levine HD. Azathioprine therapy of steroid-responsive pericarditis. *Am Heart J* 1970;80:109–11.
45. Miller JI, Mansour KA, Hatcher CR. Pericardiectomy: current indication, concept, and results in a university center. *Ann Thorac Surg* 1982;84:40–5.
46. Hatcher Jr CR, Logue RB, Logan Jr WD et al. Pericardiectomy for recurrent pericarditis. *J Thorac Cardiovasc Surg* 1971;62(3):371–8.
47. Merce J, Sagrista-Sauleda J, Permanyer-Miralda G et al. Should pericardial drainage be performed routinely in patients who have a large pericardial effusion without tamponade? *Am J Med* 1998;105:106–9.
48. Soler-Soler J. Massive chronic pericardial effusion. In: Soler-Soler J, Permanyer-Miralda G, Sagrista-Sauleda J, editors. *Pericardial diseases – old dilemmas and new insights*. The Netherlands: Kluwer; 1990. p. 153–65.
49. Sagrista-Sauleda J, Merce J, Permanyer-Miralda G et al. Clinical clues to the causes of large pericardial effusions. *Am J Med* 2000;109(2):95–101.
50. Horowitz MS, Schultz CS, Stinson EB et al. Sensitivity and specificity of echocardiographic diagnosis of pericardial effusion. *Circulation* 1974;50:239–47.
51. Heinsimer JA, Collins GJ, Burkman MH et al. Supine cross-table lateral chest roentgenogram for the detection of pericardial effusion. *JAMA* 1987;257(23):3266–8.
52. Carsky EW, Mauceri RA, Azimi F. The epicardial fat pad sign: analysis of frontal and lateral chest radiographs in patients with pericardial effusion. *Radiology* 1980;137(2):303–8.
53. D’Cruz IA, Cohen HC, Prabhu R et al. Diagnosis of cardiac tamponade by echocardiography. Changes in mitral valve motion and ventricular dimensions, with special reference to paradoxical pulse. *Circulation* 1975;52:460–5.
54. Martin RP, Bowdan R, Filly K et al. Intrapericardial abnormalities in patients with pericardial effusion: findings by two-dimensional echocardiography. *Circulation* 1980;61:568–72.
55. Come P, Riley M, Fortuin N. Echocardiographic mimicry of pericardial effusions. *Am J Cardiol* 1981;47:365–70.
56. Almeda FQ, Adler S, Rosenson RS. Metastatic tumor infiltration of the pericardium masquerading as pericardial tamponade. *Am J Med* 2001;111(6):504–5.
57. Kronzon I, Cohen ML, Wines HE. Cardiac tamponade by loculated pericardial hematoma: limitations of M-mode echocardiography. *J Am Coll Cardiol* 1983;3:913–5.
58. Berge K, Lanier W, Reeder G. Occult cardiac tamponade detected by transesophageal echocardiography. *Mayo Clin Proc* 1992;67:667–70.
59. Ling LH, Oh JK, Tei C, Click RL, Breen JF, Seward JB, Tajik AJ. Pericardial thickness measured with transesophageal echocardiography: feasibility and potential clinical usefulness. *J Am Coll Cardiol* 1997;29(6):1317–23.
60. Mulvagh SL, Rokey R, Vick GW et al. Usefulness of nuclear magnetic resonance imaging for evaluation of pericardial effusions, and comparison with two-dimensional echocardiography. *Am J Cardiol* 1989;64:1002–9.
61. Soler-Soler J, Sagrista-Sauleda J, Permanyer-Miralda G. Management of pericardial effusion. *Heart* 2001;86:235–40.
62. Reydel B, Spodick DH. Frequency and significance of chamber collapses during cardiac tamponade. *Am Heart J* 1990;119:1160–3.
63. Kochar GS, Jacobs LE, Kotler MN. Right atrial compression in postoperative cardiac patients: detection by transesophageal echocardiography. *J Am Coll Cardiol* 1990;16:511–6.
64. Torelli J, Marwick TH, Salcedo EE. Left atrial tamponade: diagnosis by transesophageal echocardiography. *J Am Soc Echocardiogr* 1991;4:413–4.
65. Fresman B, Schwinger ME, Charney R et al. Isolated collapse of left-sided heart chambers in cardiac tamponade. Demonstration by two-dimensional echocardiography. *Am Heart J* 1991;121:613–6.
66. Di Segni E, Feinberg MS, Sheinowitz M et al. LV pseudohypertrophy in cardiac tamponade: an echocardiographic study in canine model. *J Am Coll Cardiol* 1993;21:1286–94.
67. Feignebaum H, Zaky A, Grabham L. Cardiac motion in patients with pericardial effusion: a study using ultrasound cardiography. *Circulation* 1966;34:611–9.
68. Bansal RC, Chandrasekaram K. Role of echocardiography in Doppler techniques in evaluation of pericardial effusion. *Echocardiography* 1989;6:313–6.
69. Saxena RK, D’Cruz IA, Zitaker M. Color flow Doppler observations on mitral valve flow in tamponade. *Echocardiography* 1991;8:517–21.
70. Singh S, Wann LS, Schuchard GH et al. Right ventricular and right atrial collapse in patients with cardiac tamponade—a combined echocardiographic and hemodynamic study. *Circulation* 1984;70:966.
71. Shabetai R. Pulsus paradoxus: definition, mechanisms, and clinical association. In: Seferović PM, Spodick DH, Maisch B, editors. *Maksimović R, Ristić AD, assoc. editors. Pericardiology: contemporary answers to continuing challenges*. Belgrade: Science; 2000. p. 53–62.
72. Klopfenstein HS, Schuchard GH, Wann LS et al. The relative merits of pulsus paradoxus and right ventricular diastolic collapse in the early detection of cardiac tamponade: an experimental echocardiographic study. *Circulation* 1985;71:829–33.
73. Permanyer-Miralda G, Sagrista-Sauleda J, Soler-Soler J. Primary acute pericardial disease: a prospective series of 231 consecutive patients. *Am J Cardiol* 1985;56:623–30.
74. Garcia LW, Ducatman BS, Wang HH. The value of multiple fluid specimens in the cytological diagnosis of malignancy. *Mod Pathol* 1994;7(6):665–8.
75. Burgess LJ, Reuter H, Carstens ME, Taljaard JJ, Doubell AF. The use of adenosine deaminase and interferon- γ as diagnostic tools for tuberculous pericarditis. *Chest* 2002;122(3):900–5.
76. Seo T, Ikeda Y, Onaka H et al. Usefulness of serum CA125 measurement for monitoring pericardial effusion. *Jpn Circ J* 1993;57(6):489–94.
77. Fijalkowska A, Szturmowicz M, Tomkowski W et al. The value of measuring adenosine deaminase activity in pericardial effusion fluid for diagnosing the etiology of pericardial effusion. *Pneumonol Alergol Pol* 1996;64(Suppl 2):174–9.
78. Koh KK, Kim EJ, Cho CH et al. Adenosine deaminase and carcinoembryonic antigen in pericardial effusion diagnosis, especially in suspected tuberculous pericarditis. *Circulation* 1994;89(6):2728–35.
79. Komsuoglu B, Goldeli O, Kulan K, Komsuoglu SS. The diagnostic and prognostic value of adenosine deaminase in tuberculous pericarditis. *Eur Heart J* 1995;16:1126–30.
80. Aggeli C, Pitsavos C, Brili S et al. Relevance of adenosine deaminase and lysozyme measurements in the diagnosis of tuberculous pericarditis. *Cardiology* 2000;94(2):81–5.
81. Dogan R, Demircin M, Sarigul A, Ciliv G, Bozer AY. Diagnostic value of adenosine deaminase activity in pericardial fluids. *J Cardiovasc Surg (Torino)* 1999;40(4):501–4.
82. Burgess LJ, Reuter H, Taljaard JJ, Doubell AF. Role of biochemical tests in the diagnosis of large pericardial effusions. *Chest* 2002;121(2):495–9.
83. Lee JH, Lee CW, Lee SG et al. Comparison of polymerase chain reaction with adenosine deaminase activity in pericardial fluid for the diagnosis of tuberculous pericarditis. *Am J Med* 2002;113(6):519–21.
84. Burgess LJ, Reuter H, Carstens ME et al. The use of adenosine deaminase and interferon- γ as diagnostic tools for tuberculous pericarditis. *Chest* 2002;122(3):900–5.
85. Chen CJ, Chang SC, Tseng HH. Assessment of immunocytochemical and histochemical stainings in the distinction between reactive mesothelial cells and adenocarcinoma cells in body effusions. *Chung Hua Hsueh Tsa Chih Taipei* 1994;54(3):149–55.

86. Pankuweit S, Wadlich A, Meyer E et al. Cytokine activation in pericardial fluids in different forms of pericarditis. *Herz* 2000;**25**(8): 748–54.
87. Millaire A, Wurtz A, de Groot P et al. Malignant pericardial effusions: usefulness of pericardiocopy. *Am Heart J* 1992;**124**(4): 1030–4.
88. Porte HL, Janecki-Delebecq TJ, Finzi L et al. Pericardiocopy for primary management of pericardial effusion in cancer patients. *Eur J Cardiothorac Surg* 1999;**16**(3):287–91.
89. Maisch B, Ristić AD, Pankuweit S, Neubauer A, Moll R. Neoplastic pericardial effusion: efficacy and safety of intrapericardial treatment with cisplatin. *Eur Heart J* 2002;**23**:1625–31.
90. Fujjoka S, Koide H, Kitaura Y et al. Molecular detection and differentiation of enteroviruses in endomyocardial biopsies and pericardial effusions from dilated cardiomyopathy and myocarditis. *Am Heart J* 1996;**131**(4):760–5.
91. Cegielski JP, Devlin BH, Morris AJ et al. Comparison of PCR, culture, and histopathology for diagnosis of tuberculous pericarditis. *J Clin Microbiol* 1997;**35**(12):3254–7.
92. Pankuweit S, Portig I, Eckhardt H et al. Prevalence of viral genome in endomyocardial biopsies from patients with inflammatory heart muscle disease. *Herz* 2000;**25**(3):221–6.
93. Maisch B, Pankuweit S, Brilla C et al. Intrapericardial treatment of inflammatory and neoplastic pericarditis guided by pericardiocopy and epicardial biopsy – results from a pilot study. *Clin Cardiol* 1999;**22**(suppl 1):117–22.
94. Maisch B, Schonian U, Crombach M et al. Cytomegalovirus associated inflammatory heart muscle disease. *Scand J Infect Dis* 1993;**88**(Suppl 1):135–48.
95. Levy R, Najjioullah F, Thouvenot D, Bosshard S, Aymard M, Lina B. Evaluation and comparison of PCR and hybridization methods for rapid detection of cytomegalovirus in clinical samples. *J Virol Methods* 1996;**62**(2):103–11.
96. Satoh T. Demonstration of the Epstein-Barr genome by the polymerase chain reaction and in situ hybridisation in a patient with viral pericarditis. *Br Heart J* 1993;**69**:563–4.
97. Andreoletti L, Hober D, Belaich S, Lobert PE, Dewilde A, Wattré P. Rapid detection of enterovirus in clinical specimens using PCR and microwell capture hybridization assay. *J Virol Methods* 1996;**62**(1):1–10.
98. Noguchi M, Nakajima T, Hirohashi S et al. Immunohistochemical distinction of malignant mesothelioma from pulmonary adenocarcinoma with anti-surfactant apoprotein, anti-Lewis a, and anti-Tn antibodies. *Hum Pathol* 1989;**20**(1):53–7.
99. Piehler JM, Pluth JR, Schaff HV et al. Surgical management of effusive pericardial disease. Influence of extent of pericardial resection on clinical course. *J Thorac Cardiovasc Surg* 1985;**90**:506–12.
100. Byrne JG, Karavas AN, Colson YL et al. Cardiac decortication (epicardiectomy) for occult constrictive cardiac physiology after left extrapleural pneumonectomy. *Chest* 2002;**122**(6):2256–9.
101. Haley JH, Tajik AJ, Danielson GK et al. Transient constrictive pericarditis: causes and natural history. *J Am Coll Cardiol* 2004;**43**:271–5.
102. Oh JK, Seward JB, Tajik AJ. The Echo Manual. second ed. Philadelphia: Lippincott; 1999. 181–194.
103. Oh JK, Tajik AJ, Seward JB et al. Diagnostic role of Doppler echocardiography in constrictive pericarditis. *J Am Coll Cardiol* 1994;**23**:154–62.
104. Talreja DR, Edwards WD, Danielson GK et al. Constrictive pericarditis in 26 patients with histologically normal thickness. *Circulation* 2003;**108**:1852–7.
105. Oh JK, Tajik AJ, Appleton CP, Hatle LK, Nishimura RA, Seward JB. Preload reduction to unmask the characteristic Doppler features of constrictive pericarditis: a new observation. *Circulation* 1997;**95**:796–9.
106. Boonyaratavej S, Oh JK, Tajik AJ et al. Comparison of mitral inflow and superior vena cava Doppler velocities in chronic obstructive pulmonary disease and constrictive pericarditis. *J Am Coll Cardiol* 1998;**32**(7):2043–8.
107. Rajagopalan N, Garcia MJ, Rodriguez L et al. Comparison of new Doppler echocardiographic methods to differentiate constrictive pericardial heart disease and restrictive cardiomyopathy. *Am J Cardiol* 2001;**87**(1):86–94.
108. DeValeria PA, Baumgartner WA, Casale AS et al. Current indications, risks, and outcome after pericardiectomy. *Ann Thorac Surg* 1991;**52**(2):219–24.
109. Ling LH, Oh JK, Schaff HV et al. Constrictive pericarditis in the modern era: evolving clinical spectrum and impact on outcome after pericardiectomy. *Circulation* 1999;**100**(13):1380–6.
110. Senni M, Redfield MM, Ling LH et al. Left ventricular systolic and diastolic function after pericardiectomy in patients with constrictive pericarditis: Doppler echocardiographic findings and correlation with clinical status. *J Am Coll Cardiol* 1999;**33**(5):1182–8.
111. Ufuk Y, Kestelli M, Yilik L et al. Recent surgical experience in chronic constrictive pericarditis. *Texas Heart Inst J* 2003;**30**(1):27–30.
112. Sun JP, Abdalla IA, Yang XS et al. Respiratory variation of mitral and pulmonary venous Doppler flow velocities in constrictive pericarditis before and after pericardiectomy. *J Am Soc Echocardiogr* 2001;**14**:119–26.
113. Meijburg HW, Visser CA, Gredee JJ, Westerhof PW. Clinical relevance of Doppler pulmonary venous flow characteristics in constrictive pericarditis. *Eur Heart J* 1995;**16**:506–13.
114. Sunday R, Robinson LA, Bosek V. Low cardiac output complicating pericardiectomy for pericardial tamponade. *Ann Thorac Surg* 1999;**67**(1):228–31.
115. Satur CM, Hsin MK, Dussek JE. Giant pericardial cysts. *Ann Thorac Surg* 1996;**61**(1):208–10.
116. Borges AC, Gellert K, Dietel M et al. Acute right-sided heart failure due to hemorrhage into a pericardial cyst. *Ann Thorac Surg* 1997;**63**(3):845–7.
117. Borges AC, Witt C, Bartel T et al. Preoperative two-and-three-dimensional transesophageal echocardiography in heart tumors. *Ann Thorac Surg* 1996;**61**:1163–7.
118. Kinoshita Y, Shimada T, Murakami Y et al. Ethanol sclerosis can be a safe and useful treatment for pericardial cyst. *Clin Cardiol* 1996;**19**(10):833–5.
119. Simeunović D, Seferović PM, Ristić AD, et al. Pericardial cysts: incidence, clinical presentations and treatment. In: Seferović PM, Spodick DH, Maisch B, editors, *Maksimović R, Ristić AD, assoc. editors. Pericardiology: contemporary answers to continuing challenges*. Beograd: Science; 2000, p. 203–212.
120. Maisch B, Outzen H, Roth D et al. Prognostic determinants in conventionally treated myocarditis and perimyocarditis – focus on antimyolemmal antibodies. *Eur Heart J* 1991;**12**:81–7.
121. Shabetai R. Acute pericarditis. *Cardiol Clin* 1990;**8**:639–44.
122. Saatci U, Ozen S, Ceyhan M, Secmeer G. Cytomegalovirus disease in a renal transplant recipient manifesting with pericarditis. *Int Urol Nephrol* 1993;**25**:617–9.
123. Campbell P, Li J, Wall T et al. Cytomegalovirus pericarditis: a case series and review of the literature. *Am J Med Sci* 1995;**309**:229–34.
124. Acierno LJ. Cardiac complications in acquired immunodeficiency syndrome (AIDS): a review. *J Am Coll Cardiol* 1989;**13**:1144–54.
125. Maisch B, Pankuweit S, Ristić AD. Detection of the infectious etiology of pericardial effusion: impact of pericardial effusion and pericardial/epicardial biopsy analyses. *J Am Coll Cardiol* 2001;**34**(Suppl A):P1235 [abstract].
126. Maisch B, Ristić AD, Seferović PM. New directions in diagnosis and treatment of pericardial disease: an update by the Taskforce on pericardial disease of the World Heart Federation. *Herz* 2000;**25**(8):769–80.
127. DeCastro S, Migliau G, Silvestri A et al. Heart involvement in AIDS: a prospective study during various stages of the disease. *Eur Heart J* 1992;**13**:1452–9.
128. Nathan PE, Arsura EL, Zappi M. Pericarditis with tamponade due to cytomegalovirus and the acquired immunodeficiency syndrome. *Chest* 1991;**99**:765–6.
129. Toma E, Poisson M, Claessens MR, Vega C, Morisset R. Herpes simplex type 2 pericarditis and bilateral facial palsy in patients with AIDS. *J Infect Dis* 1989;**160**:553–4.
130. Brivet P, Livartowski J, Herve P, Rain B, Dormont J. Pericardial cryptococcal disease in acquired immunodeficiency syndrome. *Am J Med* 1987;**82**:1273.
131. Chen Y, Brennessel D, Walters J et al. Human immunodeficiency virus-associated pericardial effusion: report of 40 cases and review of literature. *Am Heart J* 1999;**137**:516–21.
132. Fink L, Reichel N, Sutton MG. Cardiac abnormalities in acquired immune deficiency syndrome. *Am J Cardiol* 1984;**54**:1161–3.

133. Silva-Cardoso J, Moura B, Martins L et al. Pericardial involvement in human immunodeficiency virus infection. *Chest* 1999;115:418–22.
134. Hakim JG, Ternouth I, Mushangi E et al. Double blind randomised placebo controlled trial of adjunctive prednisolone in the treatment of effusive tuberculous pericarditis in HIV seropositive patients. *Heart* 2000;84(2):183–8.
135. Sagrista-Sauleda J, Barrabes JA, Permanyer-Miralda G et al. Purulent pericarditis: review of a 20-year experience in a general hospital. *J Am Coll Cardiol* 1993;22:1661–5.
136. Goodman LJ. Purulent pericarditis. *Curr Treat Options Cardiovasc Med* 2000;2(4):343–50.
137. Defouilloy C, Meyer G, Slama M et al. Intrapericardial fibrinolysis: a useful treatment in the management of purulent pericarditis. *Intensive Care Med* 1997;23:117–8.
138. Ustunsoy H, Celkan MA, Sivrikoz MC et al. Intrapericardial fibrinolytic therapy in purulent pericarditis. *Eur J Cardiothorac Surg* 2002;22(3):373–6.
139. Sagrista-Sauleda J, Permanyer-Miralda G, Soler-Soler J. Tuberculous pericarditis: ten year experience with a prospective protocol for diagnosis and treatment. *J Am Coll Cardiol* 1988;11(4):724–8.
140. Fowler NO. Tuberculous pericarditis. *JAMA* 1991;266(1):99–103.
141. McCaughan BC, Schaff HV, Piehler JM et al. Early and late results of pericardiectomy for constrictive pericarditis. *J Thorac Cardiovasc Surg* 1985;89:340–50.
142. Long R, Younes M, Patton N et al. Tuberculous pericarditis: long-term outcome in patients who received medical therapy alone. *Am Heart J* 1989;117(5):1133–9.
143. Strang JI, Kakaza HH, Gibson DG et al. Controlled clinical trial of complete open surgical drainage and of prednisolone in treatment of tuberculous pericardial effusion in Transkei. *Lancet* 1988;2(8614):759–64.
144. Godfrey-Faussett P. Molecular diagnosis of tuberculosis: the need for new diagnostic tools. *Thorax* 1995;50(7):709–11.
145. Seino Y, Ikeda U, Kawaguchi K et al. Tuberculosis pericarditis presumably diagnosed by polymerase chain reaction analysis. *Am Heart J* 1993;126:249–51.
146. Strang JI. Rapid resolution of tuberculous pericardial effusion with high dose prednisone and antituberculous drugs. *J Infect* 1994;28:251–4.
147. Alzeer AM, Fitzgerald JM. Corticosteroids and tuberculosis. Risks and use as adjunct therapy. *Tuberc Lung Dis* 1993;74:6–11.
148. Keersmaekers T, Elshot SR, Sergeant PT. Primary bacterial pericarditis. *Acta Cardiol* 2002;57(5):387–9.
149. Deng YB, Chang Q, Xiang HJ et al. Echocardiographic diagnosis and follow-up of left ventricular pseudoaneurysm complicating bacterial pericarditis. *J Clin Ultrasound* 2003;31(1):48–50.
150. Ewer K, Deeks J, Alvarez L et al. Comparison of T-cell-based assay with tuberculin skin test for diagnosis of Mycobacterium tuberculosis infection in a school tuberculosis outbreak. *Lancet* 2003;361(9364):1168–73.
151. Maisch B, Maisch S, Kochsiek K. Immune reactions in tuberculous and chronic constrictive pericarditis. *Am J Cardiol* 1982;50:1007–13.
152. Dwivedi SK, Rastogi P, Saran RK, Narain VS, Puri VK, Hasan M. Antitubercular treatment does not prevent constriction in chronic pericardial effusion of undetermined etiology: a randomized trial. *Indian Heart J* 1997;49(4):411–4.
153. Senderovitz T, Viskum K. Corticosteroids and tuberculosis. *Respiratory Medicine* 1994;88:561–5.
154. Mayosi BM, Ntsekhe M, Volmink JA et al. Interventions for treating tuberculous pericarditis. *Cochrane Database Syst Rev* 2002;(4):CD000526.
155. Colombo A, Olson HG, Egan J et al. Etiology and prognostic implications of a large pericardial effusion in men. *Clin Cardiol* 1988;11:389.
156. Rostand SG, Rutsky EA. Pericarditis in end-stage renal disease. *Cardiol Clin* 1990;8:701–6.
157. Rutsky EA. Treatment of uremic pericarditis and pericardial effusion. *Am J Kidney Dis* 1987;10:2–7.
158. Lundin AP. Recurrent uremic pericarditis: a marker of inadequate dialysis. *Semin Dial* 1990;3:5–9.
159. Tang DC, Huang TP. Uraemic pericarditis: a reversible inflammatory state of resistance to recombinant human erythropoietin in haemodialysis patients. *Nephrol Dial Transplant* 1997;12:1051–7.
160. Gunukula SR, Spodick DH. Pericardial disease in renal patients. *Semin Nephrol* 2001;21:52–7.
161. Emelife-Obi C, Chow MT, Qamar-Rohail H et al. Use of a phosphorus-enriched hemodialysate to prevent hypophosphatemia in a patient with renal failure-related pericarditis. *Clin Nephrol* 1998;50:131–6.
162. Connors JP, Kleiger RE, Shaw RC et al. The indications for pericardiectomy in the uremic pericardial effusion. *Surgery* 1976;80:674–89.
163. Spector D, Alfred H, Siedlecki M et al. A controlled study of the effect of indomethacin in uremic pericarditis. *Kidney Int* 1983;24:663–7.
164. Lindsay Jr J, Crawley IS, Calloway Jr GM. Chronic constrictive pericarditis following uremic hemopericardium. *Am Heart J* 1970;79:390.
165. Ifudu O. Daily dialysis in hemodialysis patients with pericardial effusion: where are the data? *Int J Artif Organs* 1999;22:469–74.
166. Wood JE, Mahnensmith RL. Pericarditis associated with renal failure: evolution and management. *Semin Dial* 2001;14:61–6.
167. Sever MS, Steinmuller DR, Hayes JM et al. Pericarditis following renal transplantation. *Transplantation* 1991;51:1229–34.
168. Maisch B, Berg PA, Kochsiek K. Clinical significance of immunopathological findings in patients with post-pericardiectomy syndrome. I. Relevance of antibody pattern. *Clin Exp Immunol* 1979;38(2):189–97.
169. Maisch B, Schuff-Werner P, Berg PA et al. Clinical significance of immunopathological findings in patients with post-pericardiectomy syndrome. II. The significance of serum inhibition and rosette inhibitory factors. *Clin Exp Immunol* 1979;38(2):198–203.
170. Quin JA, Tauriainen MP, Huber LM et al. Predictors of pericardial effusion after orthotopic heart transplantation. *J Thorac Cardiovasc Surg* 2002;124(5):979–83.
171. Kuvini JT, Harati NA, Pandian NG et al. Postoperative cardiac tamponade in the modern surgical era. *Ann Thorac Surg* 2002;74(4):1148–53.
172. Matsuyama K, Matsumoto M, Sugita T et al. Clinical characteristics of patients with constrictive pericarditis after coronary bypass surgery. *Jpn Circ J* 2001;65(6):480–2.
173. Horneffer PJ, Miller RH, Pearson TA et al. The effective treatment of postpericardiectomy syndrome after cardiac operations. A randomized placebo-controlled trial. *J Thorac Cardiovasc Surg* 1990;100(2):292–6.
174. Finkelstein Y, Shemesh J, Mahlab K et al. Colchicine for the prevention of postpericardiectomy syndrome. *Herz* 2002;27:791–4.
175. Sugiura T, Takehana K, Hatada K et al. Pericardial effusion after primary percutaneous transluminal coronary angioplasty in first Q-wave acute myocardial infarction. *Am J Cardiol* 1998;81:1090–3.
176. Spodick DH. Post-myocardial infarction syndrome (Dressler's syndrome). *ACC Curr J Rev* 1995;4:35–7.
177. Lichstein E. The changing spectrum of post-myocardial infarction pericarditis. *Int Cardiol* 1983;4:234–7.
178. Shahar A, Hod H, Barabash GM et al. Disappearance of a syndrome: Dressler's syndrome in the era of thrombolysis. *Cardiology* 1994;85:255–8.
179. Nagahama Y, Sugiura T, Takehana K et al. The role of infarction-associated pericarditis on the occurrence of atrial fibrillation. *Eur Heart J* 1998;19:287–92.
180. Oliva PB, Hammill SC, Edwards WD. Electrocardiographic diagnosis of postinfarction regional pericarditis: ancillary observations regarding the effect of reperfusion on the rapidity and amplitude of T wave inversion after acute myocardial infarction. *Circulation* 1993;88:896–904.
181. Oliva PB, Hammill SC, Talano JV. T wave changes consistent with epicardial involvement in acute myocardial infarction: observations in patients with a postinfarction pericardial effusion without clinically recognized postinfarction pericarditis. *J Am Coll Cardiol* 1994;24:1073–7.
182. Figueras J, Juncal A, Carballo J et al. Nature and progression of pericardial effusion in patients with a first myocardial infarction: relationship to age and free wall rupture. *Am Heart J* 2002;144(2):251–8.
183. Joho S, Asanoi H, Sakabe M et al. Long-term usefulness of percutaneous intrapericardial fibrin-glue fixation therapy for oozing type of left ventricular free wall rupture: a case report. *Circ J* 2002;66(7):705–6.

184. Spodick DH. Safety of ibuprofen for acute myocardial infarction pericarditis. *Am J Cardiol* 1986;**57**(10):896.
185. Jugdutt BI, Basualdo CA. Myocardial infarct expansion during indomethacin or ibuprofen therapy for symptomatic post infarction pericarditis. Influence of other pharmacologic agents during early remodelling. *Can J Cardiol* 1989;**5**(4):211–21.
186. Nagy KK, Lohmann C, Kim DO, Barrett J. Role of echocardiography in the diagnosis of occult penetrating cardiac injury. *J Trauma* 1995;**38**: 859–62.
187. Buckman RF, Buckman PD. Vertical deceleration trauma: principles of management. *Surg Clin North Am* 1991;**71**:331–40.
188. Asensio JA, Berne JD, Demetriades D et al. Penetrating cardiac injuries: a prospective study of variables predicting outcomes. *J Am Coll Surg* 1998;**186**:24–34.
189. Narins CR, Cunningham MJ, Delehantry JM et al. Nonhemorrhagic cardiac tamponade after penetrating chest trauma. *Am Heart J* 1996;**132**:197–8.
190. Morton MJ, DeMots HL. Complications of transseptal catheterization and transthoracic left ventricular puncture. In: Kron J, Morton MJ, editors. *Complications of cardiac catheterization and angiography*. New York: Futura; 1989. p. 77–103.
191. Jungbluth A, Düber C, Rumpelt HJ et al. Koronararterienmorphologie nach perkutaner transluminaler Koronarangioplastie (PTCA) mit Hämo-perikard. *Z Kardiol* 1988;**77**:125–9.
192. Liu F, Erbel R, Haude M, Ge J. Coronary arterial perforation: prediction, diagnosis, management, and prevention. In: Ellis SG, Holmes DR, editors. *Strategic approaches in coronary intervention*. 2nd ed. Philadelphia: Lippincott; 2000. p. 501–14.
193. Nakamura S, Colombo A, Gaglione A et al. Intracoronary ultrasound observations during stent implantation. *Circulation* 1994;**89**(5): 2026–34.
194. Erbel R, Clas W, Busch U et al. New balloon catheter for prolonged percutaneous transluminal coronary angioplasty and bypass flow in occluded vessels. *Cathet Cardiovasc Diagn* 1986;**12**:116–23.
195. Meier B. Benign coronary perforation during percutaneous transluminal coronary angioplasty. *Br Heart J* 1985;**54**:33–5.
196. Welge D, Haude M, von Birgelen C et al. Versorgung einer Koronar-perforation nach perkutaner Ballonangioplastie mit einem neuen Membranstent. *Z Kardiol* 1998;**87**:948–53.
197. von Birgelen C, Haude M, Herrmann J et al. Early clinical experience with the implantation of a novel synthetic coronary stent graft. *Cathet Cardiovasc Interv* 1999;**47**:496–503.
198. McKay R, Grossmann W. Balloon valvuloplasty. In: Grossmann W, Baim DS, editors. *Cardiac Catheterization, Angiography and Interventions*. Philadelphia: Lea & Febiger; 1991. p. 511–33.
199. Levine MJ, Baim DS. Endomyocardial biopsy. In: Grossmann W, Baim DS, editors. *Cardiac Catheterization, Angiography and Interventions*. Philadelphia: Lea & Febiger; 1991. p. 383–95.
200. Sekiguchi M, Take M. World survey of catheter biopsy of the heart. In: Sekiguchi M, Olsen EGJ, editors. *Cardiomyopathy Clinical, Pathological, and Theoretical Aspects*. Baltimore: University Park Press; 1980. p. 217–25.
201. Bitkover CY, Al-Khalili F, Ribeiro A et al. Surviving resuscitation: successful repair of cardiac rupture. *Ann Thorac Surg* 1996;**61**:710–1.
202. Chirillo F, Totis O, Cavarzerani A et al. Usefulness of transthoracic and transesophageal echocardiography in recognition and management of cardiovascular injuries after blunt chest trauma. *Heart* 1996;**75**:301–6.
203. Erbel R. Diseases of the aorta. *Heart* 2001;**86**:227–34.
204. Hausmann D, Gulba D, Bargheer K et al. Successful thrombolysis of an aortic arch thrombus in a patient after mesenteric embolism. *N Engl J Med* 1992;**327**:500–1.
205. Nienaber CA, von Kodolitsch Y, Nicolas V et al. The diagnosis of thoracic aortic dissection by noninvasive imaging procedures. *N Engl J Med* 1993;**328**:1–9.
206. Erbel R, Engberding R, Daniel W, Roelandt J, Visser CM, Renollet H. Echocardiography in diagnosis of aortic dissection. *Lancet* 1989;**1**:457–61.
207. Erbel R, Alfonso F, Boileau C et al. Diagnosis and management of aortic dissection. *Eur Heart J* 2001;**22**(18):1642–81.
208. Erbel R, Mohr-Kahaly S, Oelert H et al. Diagnostic strategies in suspected aortic dissection: comparison of computed tomography, aortography, and transesophageal echocardiography. *Am J Cardiac Imaging* 1990;**3**:157–72.
209. Kiviniemi MS, Pirnes MA, Eranen HJ et al. Complications related to permanent pacemaker therapy. *Pacing Clin Electrophysiol* 1999;**22**(5):711–20.
210. Matsuura Y, Yamashina H, Higo M, Fujii T. Analysis of complications of permanent transvenous implantable cardiac pacemaker related to operative and postoperative management in 717 consecutive patients. *Hiroshima J Med Sci* 1990;**39**(4):131–7.
211. Spindler M, Burrows G, Kowallik P et al. Postpericardiotomy syndrome and cardiac tamponade as a late complication after pacemaker implantation. *Pacing Clin Electrophysiol* 2001;**24**(9 Pt 1):1433–4.
212. Elinav E, Leibowitz D. Constrictive pericarditis complicating endovascular pacemaker implantation. *Pacing Clin Electrophysiol* 2002;**25**(3):376–7.
213. Maisch B. Myokardbiopsien und Perikardioskopien. In: Hess OM, Simon RWR, editors. *Herzkatheter: Einsatz in Diagnostik und Therapie*. Berlin/Heidelberg/New York: Springer; 2000. p. 302–49.
214. Mellwig KP, Vogt J, Schmidt HK et al. Acute aortic dissection (Stanford A) with pericardial tamponade – extension of the dissection after emergency pericardial puncture. *Z Kardiol* 1998;**87**(6): 482–6.
215. Thurber DL, Edwards JE, Achor RWP. Secondary malignant tumors of the pericardium. *Circulation* 1962;**26**:228–41.
216. Vaitkus PT, Herrmann HC, LeWinter MM. Treatment of malignant pericardial effusion. *JAMA* 1994;**272**:59–64.
217. Tomkowski W, Szturmowicz M, Fijalkowska A et al. New approaches to the management and treatment of malignant pericardial effusion. *Support Care Cancer* 1997;**5**:64–6.
218. Tsang TSM, Seward JB, Barnes ME. Outcomes of primary and secondary treatment of pericardial effusion in patients with malignancy. *Mayo Clin Proc* 2000;**75**:248–53.
219. Susini G, Pepi M, Sisillo E et al. Percutaneous pericardiocentesis versus subxyphoid pericardiotomy in cardiac tamponade due to postoperative pericardial effusion. *J Cardiothorac Vasc Anesth* 1993;**7**:178–83.
220. Fagan SM, Chan KI. Pericardiocentesis. Blind no more!. *Chest* 1999;**116**:275–6.
221. Soler-Soler J, Merce J, Sagrista-Sauleda J. Should pericardial drainage be performed routinely in patients who have a large pericardial effusion without tamponade? *Am J Med* 1998;**105**:106–9.
222. DeCamp MM, Mentzer SJ, Swanson SJ et al. Malignant effusive disease of pleura and pericardium. *Chest* 1997;**112**(Suppl):291–5.
223. Zwischenberger JB, Sanker AB, Lee R. Malignant pericardial effusion. In: Pass HJ, Mitchell JB, Johnson DH, et al., editors. *Lung Cancer Principles and Practice*. Philadelphia. Lippincott: Williams and Wilkins; 2000. p. 1038–46.
224. Bishiniotis TS, Antoniadou S, Katseas G et al. Malignant cardiac tamponade in women with breast cancer treated by pericardiocentesis and intrapericardial administration of triethylenethiophosphoramide (thiotepa). *Am J Cardiol* 2000;**86**(3):362–4.
225. Colleoni M, Martinelli G, Beretta F et al. Intracavitary chemotherapy with thiotepa in malignant pericardial effusion: an active and well tolerated regimen. *J Clin Oncol* 1998;**16**:2371–6.
226. Girardi LN, Ginsberg RJ, Burt ME. Pericardiocentesis and intrapericardial sclerosis: effective therapy for malignant pericardial effusion. *Ann Thorac Surg* 1997;**64**:1422–8.
227. Dempke W, Firusian N. Treatment of malignant pericardial effusion with 32 P-colloid. *Br J Cancer* 1999;**80**:1955–7.
228. Wilkes JD, Fidas P, Vaickus L et al. Malignancy related pericardial effusion: 127 cases from Roswell Park Cancer Institute. *Cancer* 1995;**76**:1377–87.
229. Prager RL, Wilson GH, Bender HW. The subxyphoid approach to pericardial disease. *Ann Thorac Surg* 1982;**34**:6–9.
230. Krause TJ, Margiotta M, Chandler JJ. Pericardio-peritoneal window for malignant pericardial effusion. *Surg Gynecol Obstet* 1991;**172**: 487–8.
231. Griffin S, Fountain W. Pericardio-peritoneal shunt for malignant pericardial effusion. *J Cardiovasc Surg* 1989;**98**:1153–4.
232. Ready A, Black J, Lewis R et al. Laparoscopic pericardial fenestration for malignant pericardial effusion. *Lancet* 1992;**339**:1609.
233. Shapira OM, Aldea GS, Fonger JD et al. Video-assisted thoracic surgical techniques in the diagnosis and management of pericardial effusion in patients with advanced lung cancer. *Chest* 1993;**104**:1262–3.

234. Ristić AD, Seferović PM, Maksimović R, et al. Percutaneous balloon pericardiectomy in neoplastic pericardial effusion. In: Seferović PM, Spodick DH, Maisch B, editors. *Maksimović R, Ristić AD, assoc. editors. Pericardiology: contemporary answers to continuing challenges*. Belgrade: Science; 2000, p. 427–38.
235. Canver CC, Patel AK, Kosolcharoen P et al. Fungal purulent constrictive pericarditis in heart transplant patient. *Ann Thorac Surg* 1998;**65**:1792–4.
236. Cishek MB, Yost B, Schaefer S. Cardiac aspergillosis presenting as myocardial infarction. *Clin Cardiol* 1996;**19**:824–7.
237. Wheat J. Histoplasmosis: experience during outbreaks in Indianapolis and review of the literature. *Medicine* 1997;**76**:339–54.
238. Rabinovici R, Szewczyk D, Ovadia P et al. Candida pericarditis: clinical profile and treatment. *Ann Thorac Surg* 1997;**63**:1200–4.
239. Kumar PP. Pericardial injury from mediastinal irradiation. *J Natl Med Assoc* 1980;**72**(6):591–4.
240. Karram T, Rinkevitch D, Markiewicz W. Poor outcome in radiation-induced constrictive pericarditis. *Int J Radiat Oncol Biol Phys* 1993;**25**(2):329–31.
241. Kentsch M, Döring V, Rodemerck U et al. Primary chylopericardium – stepwise diagnosis and therapy of a differential diagnostically important illness. *Z Kardiol* 1997;**86**:417–22.
242. Denfield SW, Rodriguez A, Miller-Hance WC et al. Management of postoperative chylopericardium in childhood. *Am J Cardiol* 1989;**63**:1416–8.
243. Morishita Y, Taira A, Fuori A et al. Constrictive pericarditis secondary to primary chylopericardium. *Am Heart J* 1985;**109**(2):373–5.
244. Akamatsu H, Amano J, Sakamoto T, Suzuki A. Primary chylopericardium. *Ann Thorac Surg* 1994;**58**:262–6.
245. Bendayan P, Glock Y, Galinier M et al. Idiopathic chylopericardium. Apropos of a new case. Review of the literature. *Arch Mal Coeur Vaiss* 1991;**84**:127–30.
246. Svedjeholm R, Jansson K, Olin C. Primary idiopathic chylopericardium – a case report and review of the literature. *Eur J Cardiothorac Surg* 1997;**11**:387–90.
247. Kannagi T, Osakada G, Wakabayashi A et al. Primary chylopericardium. *Chest* 1982;**81**:105–8.
248. Chan BB, Murphy MC, Rodgers BM. Management of chylopericardium. *J Pediatr Surg* 1990;**25**:1185–9.
249. Crosby IK, Crouch J, Reed WA. Chylopericardium and chylothorax. *J Thorac Cardiovasc Surg* 1973;**65**:935–9.
250. Martinez GJ, Marco E, Marin F et al. Chylopericardium after acute pericarditis. *Rev Esp Cardiol* 1996;**49**:226–8.
251. Scholten C, Staudacher M, Girsch W et al. A novel therapeutic strategy for the management of idiopathic chylopericardium and chylothorax. *Surgery* 1998;**123**:369–70.
252. Groves LK, Effler DB. Primary chylopericardium. *N Engl J Med* 1954;**250**:520–3.
253. Furrer M, Hopf M, Ris HB. Isolated primary chylopericardium: treatment by thoracoscopic thoracic duct ligation and pericardial fenestration. *J Thorac Cardiovasc Surg* 1996;**112**:1120–1.
254. Spodick DH. Drug- and toxin-related pericardial disease. In: Spodick DH, editor. *The Pericardium: A Comprehensive Textbook*. New York: Marcel Dekker; 1997. p. 411–6.
255. Tarbell NJ, Thomson L, Mauch P. Thoracic irradiation in Hodgkin's disease: disease control and long-term complications. *Int J Radiat Oncol Biol Phys* 1990;**18**:275–81.
256. Zimmerman J, Yahalom J, Bar-On H. Clinical spectrum of pericardial effusion as the presenting feature of hypothyroidism. *Am Heart J* 1983;**106**:770–1.
257. Kerber RE, Sherman B. Echocardiographic evaluation of pericardial effusion in myxedema. Incidence and biochemical and clinical correlations. *Circulation* 1975;**52**:823–7.
258. Hardisty CA, Naik RD, Munro DS. Pericardial effusion in hypothyroidism. *Clin Endocrinol* 1980;**13**:349–54.
259. Parving HH, Hansen JM, Nielsen SV et al. Mechanism of edema formation in myxedema-increased protein extravasation and relatively slow lymphatic drainage. *N Engl J Med* 1981;**301**:460–5.
260. Enein M, Aziz A, Zima A et al. Echocardiography of the pericardium in pregnancy. *Obstet Gynecol* 1987;**69**:851–5.
261. Buch CA, Stang TM, Wooley CG, Kilman J. Occult constrictive pericardial disease. Diagnosis by rapid volume expansion and correction by pericardiectomy. *Circulation* 1977;**56**:924–30.
262. Oakley CM. Pericardial disease. In: Oakley CM, editor. *Heart disease in pregnancy*. London: BMJ; 1997, p. 226–236.
263. Richardson PM, Le Roux BT, Rogers NM, Gotsman MS. Pericardiectomy in pregnancy. *Thorax* 1970;**25**(5):627–30.
264. Tollens T, Casselman F, Devlieger H et al. Fetal cardiac tamponade due to an intrapericardial teratoma. *Ann Thorac Surg* 1998;**66**:59–60.
265. Maisch B, Ristić AD. Practical aspects of the management of pericardial disease. *Heart* 2003;**89**:1096–103.
266. Ristić AD, Seferović PM, Ljubić A, et al. Pericardial disease in pregnancy. *Herz* 2003;**28**(3):209–15.
267. Jeanty P, Romero R, Hobbins JC. Fetal pericardial fluid: a normal finding of the second half of gestation. *Am J Obstet Gynecol* 1984;**149**(5):529–32.
268. Elkayam U, Gleicher N. The evaluation of the cardiac patient. In: Gleicher N, editor. *Principles and Practice of Medical Therapy in Pregnancy*. 2nd ed. Norwalk: Conn., Appleton and Lange; 1992. p. 759.
269. Elkayam U, Goodwin TM. Adenosine therapy for supraventricular tachycardia during pregnancy. *Am J Cardiol* 1995;**75**:521–3.
270. Widerhorn J, Rahimtoola SH, Elkayam U. Cardiac rhythm disorders. In: Gleicher N, editor. *Principles and Practice of Medical Therapy in Pregnancy*. 2nd ed. Norwalk: Conn., Appleton and Lange; 1992. p. 135.
271. Austin JH. Postpartum pleural effusions. *Ann Intern Med* 1983;**98**:555–6.
272. Campos O, Andrade JL, Bocanegra J et al. Physiological multivalvular regurgitation during pregnancy: a longitudinal Doppler echocardiographic study. *Intern J Cardiol* 1993;**40**:265–72.
273. Colletti PM, Sylvestre PB. Magnetic resonance imaging in pregnancy. *MRI Clin North Am* 1994;**2**:291–307.
274. Lee W, Shah PK, Amin DK, Elkayam U. Hemodynamic monitoring of cardiac patients during pregnancy. In: Elkayam U, Gleicher N, editors. *Cardiac Problems in Pregnancy: Diagnosis and Management of Maternal and Fetal Disease*. 2nd ed. New York: Alan R. Liss Inc.; 1990. p. 47.
275. Wagner CK, Leser RG, Saldana LR. Exposure of the pregnant patient to diagnostic radiation. A Guide to Medical Management. Philadelphia: J.B. Lippincott Co.; 1985. p. 52.